

3M™ DBI-SALA® Confined Space Aluminum Tripod with Winch, 7 ft Tripod, 60 ft Galvanized Cable

Model : 8301080

Product Details

- Systems available to adapt to multiple configurations
- Telescoping adjustable locking legs
- Built-in pulley system
- Rubber padded tripod feet and leg support chain
- Integrated 5,000 lb. (22 kN) eyebolt anchor points
- Features manually operated winch
- Winch options available with different gear ratios to provide mechanical advantage
- Swiveling snap hook with built-in impact indicator
- Eye Bolt Material Handling Weight Capacity: 1000 lb (453 kg)
- Mounting Bracket Material Handling Weight Capacity: 620 lb (281 kg)

7 ft. aluminum tripod and Salalift II winch with 60 ft. (18 m) of 1/4 in. (6.3 mm) galvanized steel wire rope, mounting bracket, and carrying bag.



Specifications

Bands	DBI-SALA
Carabiner/Hook Material	Zinc Plated Steel
Connected Safety ID Equipped	Yes
Install Type	Portable
Lifeline Length (Imperial)	60 ft
Lifeline Length (Metric)	18.3 m
Lifeline Material	Galvanized Cable
Product Color	Silver
Product Type	Confined Space System
Recommended Industry	Construction, General Industrial, Mining, Oil & Gas, Transportation, Utilities
Specifications Met	OSHA 1910.140, OSHA 1926.502
Product Types	Tripod System